

## Virginia Title V Operating Permit

Until such time as this permit is reopened and revised, modified, revoked, terminated or expires, the permittee is authorized to operate in accordance with the terms and conditions contained herein. This permit is issued under the authority of Title 10.1, Chapter 13, §10.1-1322 of the Air Pollution Control Law of Virginia. This permit is issued consistent with the Administrative Process Act, and 9 VAC 5-80-50 through 9 VAC 5-80-300 of the State Air Pollution Control Board Regulations for the Control and Abatement of Air Pollution of the Commonwealth of Virginia.

Authorization to operate a Stationary Source of Air Pollution as described in this permit is hereby granted to:

Permittee Name: Columbia Gas Transmission Corp.  
Mailing Address: P.O. Box 1273  
Charleston, West Virginia 25325-1273

Facility Name: Goochland Compressor Station  
Facility Location: 1436 Hermitage Road  
Manakin-Sabot, Virginia

Registration Number: 51002  
Permit Number: PRO51002

**September 8, 2003**

**Effective Date**

**September 8, 2008**

**Expiration Date**

Robert G. Burnley  
Director, Department of Environmental Quality

Signature Date

Table of Contents, 2 pages  
Permit Conditions, 20 pages

**Columbia Gas Transmission Corp. - Goochland Compressor Station  
Title V Operating Permit**

**Table of Contents**

<b>I.</b>	<b>Facility Information.....</b>	<b>4</b>
<b>II.</b>	<b>Emission Units.....</b>	<b>5</b>
<b>III.</b>	<b>Fuel Burning Equipment Requirements – (emission unit ID#).....</b>	<b>5</b>
<b>IV.</b>	<b>Process Equipment Requirements – (emission unit ID#) .....</b>	<b>5</b>
	A. Limitations.....	5
	B. Monitoring .....	6
	C. Recordkeeping.....	7
	D. Reporting .....	8
<b>V.</b>	<b>Facility Wide Conditions .....</b>	<b>8</b>
	A. Limitations.....	8
<b>VI.</b>	<b>Insignificant Emission Units.....</b>	<b>8</b>
<b>VII.</b>	<b>Compliance Plan .....</b>	<b>9</b>
<b>VIII.</b>	<b>Permit Shield &amp; Inapplicable Requirements.....</b>	<b>9</b>
<b>IX.</b>	<b>General Conditions.....</b>	<b>10</b>
	A. Federal Enforceability .....	10
	B. Permit Expiration.....	10
	C. Recordkeeping and Reporting.....	11
	D. Annual Compliance Certification.....	12
	E. Permit Deviation Reporting.....	13
	F. Failure/Malfunction Reporting.....	13
	G. Severability.....	13
	H. Duty to Comply .....	13
	I. Need to Halt or Reduce Activity not a Defense.....	14
	J. Permit Action for Cause.....	14
	K. Property Rights .....	15
	L. Duty to Submit Information.....	15
	M. Duty to Pay Permit Fees.....	15
	N. Fugitive Dust Emission Standards.....	15
	O. Startup, Shutdown, and Malfunction .....	16
	P. Alternative Operating Scenarios.....	16
	Q. Inspection and Entry Requirements.....	16
	R. Reopening For Cause.....	17

S.	Permit Availability .....	17
T.	Transfer of Permits.....	17
U.	Malfunction as an Affirmative .....	18
V.	Permit Revocation or Termination for .....	18
W.	Duty to Supplement or Correct Application.....	19
X.	Stratospheric Ozone .....	19
Y.	Asbestos Demolition and Renovation .....	19
Z.	Accidental Release Prevention.....	19
AA.	Changes to Permits for Emissions Trading.....	19
BB.	Emissions Trading.....	19
<b>X.</b>	<b>State-Only Enforceable Requirements .....</b>	<b>20</b>

## **I. Facility Information**

### **Permittee**

Columbia Gas Transmission Corp.  
1700 Mac Corkle Avenue, S.E.  
P.O. Box 1273  
Charleston, WV 25325-1273

### **Facility**

Goochland Compressor Station  
1436 Hermitage Road  
Manakin-Sabot, Virginia

### **Responsible Official**

Dana M. Debaets  
Field Service – Operations Manager  
(804) 733-2471

### **Contact person**

Greg Lago  
Env. Health & Safety Coordinator  
(304) 357-2079  
(304) 357-2700 (fax)

**County Plant Identification Number:** 075-0026

**Facility Description:** SIC Code Number - 4922. The facility is a natural gas pipeline compressor station. Natural gas is received via gas pipelines from an upstream compressor station, compressed using five (5) Solar Saturn T-1300 turbine engines rated at 1,313 hp each, and pumped into outlet pipelines for transmission to a downstream station. Other auxiliary equipment includes a natural gas-fired boiler rated at 0.84 MMBtu/hr, an 82 hp emergency generator fueled by natural gas, and storage tanks. Fugitive VOC emissions due to equipment leaks and blowdowns are estimated to be approximately 4.3 tons/year.

Two of the turbines were originally installed in 1966, two others in 1970, and a fifth was installed in 1990. Also in 1990, the four older turbines were significantly upgraded, to the extent that all five are subject to the requirements of 40 CFR 60, Subpart GG.

Permit actions since 09/08/98 include; amending fuel sampling requirements for Nitrogen Oxide (NO<sub>x</sub>) 10/13/98, small storage tanks replacement 08/18/99 (exempt from permitting), and installation of a 0.153 MMBTU/hr. heater 09/11/01 (exempt from permitting), no significant changes have been made to this facility.

This facility has been classified as a major/potential major source with the **potential** to emit in excess of 100 tpy of Nitrogen Oxide (NO<sub>x</sub>) and Carbon Monoxide (CO) and considered a true minor for Sulfur Dioxide (SO<sub>2</sub>) and Volatile Organic Compounds (VOC), and is located in an attainment area. This facility is not considered to be a major for Hazardous Air Pollutants (HAPs).

## II. Emission Units

### Significant Emissions Unit Inventory List Process Units

Emission Unit No.	Stack No.	Emission Unit Description	Size/Rated Capacity	Manufacturer & Date of Construction	PC & PCD ID	Applicable Permit Date
16901	E01	Natural Gas Turbine Engine	14.46 MMBTU/hour .0145 MMft <sup>3</sup> /hr	Solar Saturn T-1300 Modified 1990	-	-
16902	E02	Natural Gas Turbine Engine	14.46 MMBTU/hour .0145 MMft <sup>3</sup> /hr	Solar Saturn T-1300 Modified 1990	-	-
16903	E03	Natural Gas Turbine Engine	14.46 MMBTU/hour .0145 MMft <sup>3</sup> /hr	Solar Saturn T-1300 Modified 1990	-	-
16904	E04	Natural Gas Turbine Engine	14.46 MMBTU/hour .0145 MMft <sup>3</sup> /hr	Solar Saturn T-1300 Modified 1990	-	-
16905	E05	Natural Gas Turbine Engine	14.46 MMBTU/hour .0145 MMft <sup>3</sup> /hr	Solar Saturn T-1300 Installed 1990	-	-

## III. Fuel Burning Equipment Requirements – N/A

## IV. Process Equipment Requirements

### A. Limitations

1. Nitrogen Oxides (NO<sub>x</sub>), Carbon Monoxide (CO), and Volatile Organic Compound (VOC) emissions from the turbines (16901-16905) shall be controlled by equipment design and operation.  
(9 VAC 5-50-260, specific Condition 3 of NSR permit issued 10/13/98)
2. The approved fuel for each Solar Saturn T-1300 turbine engine (16901-16905) is natural gas. A change in the fuel may require a permit to modify and operate.  
(9 VAC 5-170-160, specific Condition 4 of NSR permit issued 10/13/98)
3. Fuel utilized for the turbines (16901-16905) shall not contain sulfur in excess of 0.01 percent by weight.  
(9 VAC 5-50-260, specific Condition 5 of NSR permit issued 10/13/98)
4. The permitted facility shall be constructed so as to allow for emissions testing and monitoring upon reasonable notice at any time, using appropriate methods. Test ports shall be provided at the appropriate locations.  
(9 VAC 5-50-30 F, specific Condition 6 of NSR permit issued 10/13/98)

5. Each Solar Saturn T-1300 Turbine Engine (16901-16905) shall consume no more than 127,000,000 cubic feet of natural gas fuel per year, calculated as the sum of each consecutive 12-month period.  
(9 VAC 5-170-160, specific condition 7 of NSR permit issued 10/13/98)
6. Emissions from the operation of each solar Saturn T-1300 turbine engine (16901-16905) shall not exceed the limits specified below:

Sulfur Dioxide		0.1 lbs/hr	0.6 tons/yr
Nitrogen Oxides (as NO <sub>2</sub> )	76 ppmvd @ 15% O <sub>2</sub> & ISO ambient conditions	4.5 lbs/hr	19.8 tons/yr
Carbon Monoxide		6.4 lbs/hr	28.1 tons/yr
Volatile Organic Compounds		2.3 lbs/hr	10.1 tons/yr

(9 VAC 5-50-260 & 9 VAC 5-50-180, specific condition 8 of NSR permit issued 10/13/98).

7. Visible emissions from each Solar Saturn T-1300 turbine engine (16901-16905) shall not exceed five (5) percent opacity as determined by EPA Method 9 (reference 40 CFR 60, Appendix A).  
(9 VAC 5-170-160, specific condition 9 of NSR permit issued 10/13/98)

## **B. Monitoring**

1. Fuel monitoring of the nitrogen content, as specified by NSPS Subpart GG is waived.  
(9 VAC 5-170-160, specific Condition 6 of Title V permit issued 9/14/98)
2. Fuel monitoring of the sulfur content shall be conducted as follows:
  - a. Analysis for fuel sulfur content of the natural gas shall be conducted twice annually, during the first and third quarters of each calendar year, using one of the approved ASTM reference methods for the measurement of sulfur in gaseous fuels, or an approved alternative method. The reference methods are: ASTM D1072-80; ASTM D3031-81; ASTM D3246-81; and ASTM D4084-82 as referenced in 40 CFR 60.335(d).
  - b. Should any sulfur analysis as required in item 2 above indicate noncompliance, the owner or operator shall notify the Director, Piedmont Region of such excess emissions and this semi-annual schedule shall be re-examined by the Department. Sulfur monitoring shall be conducted weekly during the interim period when this semi-annual schedule is being re-examined.
  - c. If there is a change in fuel supply, the owner or operator must notify the Director, Piedmont Region of such change for re-examination of the semi-annual sulfur

monitoring schedule. A substantial change in fuel quality shall be considered as a change in fuel supply. Sulfur monitoring shall be conducted weekly during the interim period when this monitoring schedule is being re-examined.

- d. Records of sample analysis and fuel supply pertinent to this monitoring schedule shall be retained for a period of five years, and shall be available for inspection by the DEQ.

(9 VAC 5-170-160, specific condition 10 (a, b and c) of NSR permit issued 10/13/98)

### **C. Recordkeeping**

1. The permittee shall maintain records of all emission data and operating parameters necessary to demonstrate compliance with this permit. The content of and format of such records shall be arranged with the Director, Piedmont Region. These records shall include, but are not limited to:
  - a. The monthly and yearly throughput of natural gas for each Solar T-1300 turbine engine (16901-16905), calculated as the sum of each consecutive 12 month period.
  - b. Hours of operation per turbine (16901-16905), monthly.
  - c. Fuel sulfur analyses.
  - d. Records of malfunctions of equipment which would cause a violation of any part of this permit.
  - e. Operating procedures, maintenance schedules, and service records for the Solar Saturn T1300 turbine engines (16901-16905).

These records shall be available on site for inspection by the DEQ and shall be current for the most recent five (5) years.

(9 VAC 5-50-50, specific condition 11 (a and b) of NSR permit issued 10/13/98)

2. In order to minimize the duration and frequency of excess emissions due to malfunctions of process equipment or air pollution control equipment, the permittee shall:
  - a. Develop a maintenance schedule and maintain records of all scheduled and non-scheduled maintenance. These records shall be maintained on site for a period of five (5) years and shall be made available to DEQ personnel upon request.
  - b. Maintain an inventory of spare parts that are needed to minimize the duration of air pollution control equipment breakdowns.

(9VAC 5-170-160, specific condition 15 of NSR permit issued 10/13/98)

3. The permittee shall have available written operating procedures for the related air pollution control equipment. Operators shall be trained in the proper operation of all

such equipment and shall be familiar with the written operating procedures. These procedures shall be based on the manufacturer's recommendations, at minimum. The permittee shall maintain records of training provided including names of trainees, date of training and nature of training.

(9 VAC 5-170-160, specific condition 16 of NSR permit issued 10/13/98)

#### **D. Reporting**

1. Should any sulfur analysis as required in item 2 above indicate noncompliance, the owner or operator shall notify the Director, Piedmont Region of such excess emissions and this semi-annual schedule shall be re-examined by the Department. Sulfur monitoring shall be conducted weekly during the interim period when this semi-annual schedule is being re-examined.

(9VAC 5-170-160, specific condition 10 (a)(2) of NSR permit issued 10/13/98)

2. If there is a change in fuel supply, the owner or operator must notify the Director, Piedmont Region of such change for re-examination of the semi-annual sulfur monitoring schedule. A substantial change in fuel quality shall be considered as a change in fuel supply. Sulfur monitoring shall be conducted weekly during the interim period when this monitoring schedule is being re-examined.

(9VAC 5-170-160, specific condition 10 (b) of NSR permit issued 10/13/98)

### **V. Facility Wide Conditions**

#### **A. Limitations**

##### **New Source Standards for Visual Emissions**

Visible emissions from each Solar Saturn T-1300 turbine engine shall not exceed five (5) percent opacity as determined by EPA Method 9 (reference 40 CFR 60, Appendix A).

(9 VAC 5-170-160, specific condition 9 of NSR permit issued 10/13/98)

### **VI. Insignificant Emission Units**

The following emission units at the facility are identified in the application as insignificant emission units under 9 VAC 5-80-720:

<b>Emission Unit No.</b>	<b>Emission Unit Description</b>	<b>Citation (9 VAC_)</b>	<b>Pollutant Emitted (5-80-720 B.)</b>	<b>Rated Capacity (5-80-720 C.)</b>
BLR1	Natural Gas-Fired Boiler	5-80-720 C.2.	TSP, PM10, NO <sub>x</sub> , SO <sub>2</sub> , CO, VOC	0.84 MMBtu/hr
169G1	Natural Gas Internal Compression Engine	5-80-720 C.4.	TSP, PM10, NO <sub>x</sub> , SO <sub>2</sub> , CO, VOC	82 hp
A06	Lube Oil Tank	5-80-720 C.3.	VOC	550 gallons



Emission Unit No.	Emission Unit Description	Citation (9 VAC_)	Pollutant Emitted (5-80-720 B.)	Rated Capacity (5-80-720 C.)
A05	Pipeline Liquids Tank	5-80-720 B.2.	VOC, benzene, ethylbenzene, hexane, toluene, xylenes	1000 gallons
A07	Compressor Oil Tank	5-80-720 C.3.	VOC	300 gallons
A04	Water Mixture Tank (Wastewater)	5-80-720 B.2.	VOC	275 gallons
FUG	Facility	5-80-720 B.2.	VOC	N/A
A	Total Energy NG-Model #2005-0100	5-80-720 C.2.	TSP, PM10, NO <sub>x</sub> , SO <sub>2</sub> , CO, VOC	0.153 MMBtu/hr

These emission units are presumed to be in compliance with all requirements of the federal Clean Air Act as may apply. Based on this presumption, no monitoring, recordkeeping, or reporting shall be required for these emission units in accordance with 9 VAC 5-80-110.

## **VII. Compliance Plan – N/A**

## **VIII. Permit Shield & Inapplicable Requirements**

Compliance with the provisions of this permit shall be deemed compliance with all applicable requirements in effect as of the permit issuance date as identified in this permit. This permit shield covers only those applicable requirements covered by terms and conditions in this permit and the following requirements which have been specifically identified as being not applicable to this permitted facility:

Citation	Title of Citation	Description of applicability
40 CFR 63, Subpart HHH ' 63.1270 (b) and (c)	National Emission Standards for Hazardous Air pollutants from Natural Gas Transmission and Storage Facilities	There are no glycol dehydration units at this facility therefore this citation should not apply.  This facility is an area source of hazardous air pollutants, and therefore has no applicable requirements from the proposed MACT.
40 CFR 60, Subpart GG ' 60.334	New Source Performance Standards- Standards of Performance for Stationary Gas Turbines (Monitoring of operations)	The nitrogen monitoring requirements of this section have been waived in accordance with a letter dated 05/27/98 from EPA Region III.

Nothing in this permit shield shall alter the provisions of §303 of the federal Clean Air Act, including the authority of the administrator under that section, the liability of the owner for any violation of applicable requirements prior to or at the time of permit issuance, or the ability to obtain information by the administrator pursuant to §114 of the federal Clean Air Act, (ii) the Board pursuant to §10.1-1314 or §10.1-1315 of the Virginia Air Pollution Control Law or (iii) the Department pursuant to §10.1-1307.3 of the Virginia Air Pollution Control Law.  
(9 VAC 5-80-140)

## **IX. General Conditions**

### **A. Federal Enforceability**

All terms and conditions in this permit are enforceable by the administrator and citizens under the federal Clean Air Act, except those that have been designated as only state-enforceable.  
(9 VAC 5-80-110 N)

### **B. Permit Expiration**

This permit has a fixed term of five years. The expiration date shall be the date five years from the date of issuance. Unless a timely and complete renewal application consistent, with 9 VAC 5-80-80, has been submitted, to the Department, by the owner, the right of the facility to operate shall be terminated upon permit expiration.

1. The owner shall submit an application for renewal at least six months but no earlier than eighteen months prior to the date of permit expiration.
2. If an applicant submits a timely and complete application for an initial permit or renewal under this section, the failure of the source to have a permit or the operation of the source without a permit shall not be a violation of Article 1, Part II of 9 VAC 5 Chapter 80, until the Board takes final action on the application under 9 VAC 5-80-150.
3. No source shall operate after the time that it is required to submit a timely and complete application under subsections C and D of 9 VAC 5-80-80 for a renewal permit, except in compliance with a permit issued under Article 1, Part II of 9 VAC 5 Chapter 80.
4. If an applicant submits a timely and complete application under section 9 VAC 5-80-80 for a permit renewal but the Board fails to issue or deny the renewal permit before the end of the term of the previous permit, (i) the previous permit shall not expire until the renewal permit has been issued or denied and (ii) all the terms and conditions of the previous permit, including any permit shield granted pursuant to 9 VAC 5-80-140, shall remain in effect from the date the application is determined to be complete until the renewal permit is issued or denied.
5. The protection under subsections F 1 and F 5 (ii) of section 9 VAC 5-80-80 F shall cease to apply if, subsequent to the completeness determination made pursuant section 9 VAC 5-80-80 D, the applicant fails to submit by the deadline specified in writing by the Board any additional information identified as being needed to process the application.

(9 VAC 5-80-80 B, C and F, 9 VAC 5-80-110 D and 9 VAC 5-80-170 B)

**C. Recordkeeping and Reporting**

1. All records of monitoring information maintained to demonstrate compliance with the terms and conditions of this permit shall contain, where applicable, the following:
  - a. The date, place as defined in the permit, and time of sampling or measurements.
  - b. The date(s) analyses were performed.
  - c. The company or entity that performed the analyses.
  - d. The analytical techniques or methods used.
  - e. The results of such analyses.
  - f. The operating conditions existing at the time of sampling or measurement.

(9 VAC 5-80-110 F)

2. Records of all monitoring data and support information shall be retained for at least five years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

(9 VAC 5-80-110F)

3. The permittee shall submit the results of monitoring contained in any applicable requirement to DEQ no later than **March 1** and **September 1** of each calendar year. This report must be signed by a responsible official, consistent with 9 VAC 5-80-80 G, and shall include:

- a. The time period included in the report. The time periods to be addressed are January 1 to June 30 and July 1 to December 31.
- b. All deviations from permit requirements. For purposes of this permit, deviations include, but are not limited to:

(1) Exceedance of emissions limitations or operational restrictions;

(2) Excursions from control device operating parameter requirements, as documented by continuous emission monitoring, periodic monitoring, or compliance assurance monitoring which indicates an exceedance of emission limitations or operational restrictions; or,

(3) Failure to meet monitoring, recordkeeping, or reporting requirements contained in this permit.

- c. If there were no deviations from permit conditions during the time period, the permittee shall include a statement in the report that "no deviations from permit requirements occurred during this semi-annual reporting period."

(9 VAC 5-80-110 F)

#### **D. Annual Compliance Certification**

Exclusive of any reporting required to assure compliance with the terms and conditions of this permit or as part of a schedule of compliance contained in this permit, the permittee shall submit to EPA and DEQ no later than **March 1** each calendar year a certification of compliance with all terms and conditions of this permit including emission limitation standards or work practices. The compliance certification shall comply with such additional requirements that may be specified pursuant to §114(a)(3) and §504(b) of the federal Clean Air Act. This certification shall be signed by a responsible official, consistent with 9 VAC 5-80-80 G, and shall include:

1. The time period included in the certification. The time period to be addressed is January 1 to December 31.
2. The identification of each term or condition of the permit that is the basis of the certification.
3. The compliance status.
4. Whether compliance was continuous or intermittent, and if not continuous, documentation of each incident of non-compliance.
5. Consistent with subsection 9 VAC 5-80-110 E, the method or methods used for determining the compliance status of the source at the time of certification and over the reporting period.
6. Such other facts as the permit may require to determine the compliance status of the source.

One copy of the annual compliance certification shall be sent to EPA at the following address:

Clean Air Act Title V Compliance Certification (3AP00)  
U. S. Environmental Protection Agency, Region III  
1650 Arch Street  
Philadelphia, PA 19103-2029.

(9 VAC 5-80-110 K.5)

#### **E. Permit Deviation Reporting**

The permittee shall notify the Director, Piedmont Region within four daytime business hours, after discovery of any deviations from permit requirements which may cause excess

emissions for more than one hour, including those attributable to upset conditions as may be defined in this permit. In addition, within 14 days of the discovery, the permittee shall provide a written statement explaining the problem, any corrective actions or preventative measures taken, and the estimated duration of the permit deviation. [Owners subject to the requirements of 9 VAC 5-40-50 C and 9 VAC 5-50-50 C are not required to provide the written statement prescribed in this paragraph for facilities subject to the monitoring requirements of 9 VAC 5-40-40 and 9 VAC 5-50-40.] The occurrence should also be reported in the next semi-annual compliance monitoring report pursuant to General Condition IX.C.3. of this permit.  
(9 VAC 5-80-110 F.2 and 9 VAC 5-80-250)

**F. Failure/Malfunction Reporting**

In the event that any affected facility or related air pollution control equipment fails or malfunctions in such a manner that may cause excess emissions for more than one hour, the owner shall, as soon as practicable but no later than four daytime business hours, notify the Director, Piedmont Region by facsimile transmission, telephone or telegraph of such failure or malfunction and shall within two weeks provide a written statement giving all pertinent facts, including the estimated duration of the breakdown. Owners subject to the requirements of 9 VAC 5-40-50 C and 9 VAC 5-50-50 C are not required to provide the written statement prescribed in this paragraph for facilities subject to the monitoring requirements of 9 VAC 5-40-40 and 9 VAC 5-50-40. When the condition causing the failure or malfunction has been corrected and the equipment is again in operation, the owner shall notify the Director, Piedmont Region.  
(9 VAC 5-20-180 C)

**G. Severability**

The terms of this permit are severable. If any condition, requirement or portion of the permit is held invalid or inapplicable under any circumstance, such invalidity or inapplicability shall not affect or impair the remaining conditions, requirements, or portions of the permit.  
(9 VAC 5-80-110 G.1)

**H. Duty to Comply**

The permittee shall comply with all terms and conditions of this permit. Any permit non-compliance constitutes a violation of the federal Clean Air Act or the Virginia Air Pollution Control Law or both and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or, for denial of a permit renewal application.  
(9 VAC 5-80-110 G.2)

**I. Need to Halt or Reduce Activity not a Defense**

It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

**J. Permit Action for Cause**

1. This permit may be modified, revoked, reopened, and reissued, or terminated for cause as specified in 9 VAC 5-80-110 L, 9 VAC 5-80-240 and 9 VAC 5-80-260. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.  
(9 VAC 5-80-110 G & L, 9 VAC 5-80-240 and 9 VAC 5-80-260)
2. Such changes that may require a permit modification and/or revisions include, but are not limited to, the following:
  - a. Erection, fabrication, installation, addition, or modification of an emissions unit (which is the source, or part of it, which emits or has the potential to emit any regulated air pollutant), or of a source, where there is, or there is potential of, a resulting emissions increase;
  - b. Reconstruction or replacement of any emissions unit or components thereof such that its capital cost exceeds 50% of the cost of a whole new unit;
  - c. Any change at a source which causes emission of a pollutant not previously emitted, an increase in emissions, production, throughput, hours of operation, or fuel use greater than those allowed by the permit, or by 9 VAC 5-80-11, unless such an increase is authorized by an emissions cap; or any change at a source which causes an increase in emissions resulting from a reduction in control efficiency, unless such an increase is authorized by an emissions cap;
  - d. Any reduction of the height of a stack or of a point of emissions, or the addition of any obstruction which hinders the vertical motion of exhaust;
  - e. Any change at the source which affects its compliance with conditions in this permit, including conditions relating to monitoring, recordkeeping, and reporting;
  - f. Addition of an emissions unit which qualifies as insignificant by emissions rate (9 VAC 5-80-720 B) or by size or production rate (9 VAC 5-80-720 C);
  - g. Any change in insignificant activities, as defined by 9 VAC 5-80-90 D.1.a(1) and 9 VAC 5-80-720 B and 9 VAC 5-80-720 C.

(9 VAC 5-80-110 G, 9 VAC 5-80-110 J, 9 VAC 5-80-240, and 9 VAC 5-80-260)

**K. Property Rights**

The permit does not convey any property rights of any sort, or any exclusive privilege.

(9 VAC 5-80-110 G.5)

**L. Duty to Submit Information**

1. The permittee shall furnish to the Board, within a reasonable time, any information that the Board may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Board copies of records required to be kept by the permit and, for information claimed to be confidential, the permittee shall furnish such records to the Board along with a claim of confidentiality. (9 VAC 5-80-110 G.6)
2. Any document (including reports) required in a permit condition to be submitted to the Board shall contain a certification by a responsible official that meets the requirements of 9 VAC 5-80-80 G. (9 VAC 5-80-110 K.1)

**M. Duty to Pay Permit Fees**

The owner of any source for which a permit under 9 VAC 5-80-50 through 9 VAC 5-80-300 was issued shall pay permit fees consistent with the requirements of 9 VAC 5-80-310 through 9 VAC 5-80-350. The actual emissions covered by the permit program fees for the preceding year shall be calculated by the owner and submitted to the Department by April 15 of each year. The calculations and final amount of emissions are subject to verification and final determination by the Department. (9 VAC 5-80-110 H and 9 VAC 5-80-340 C)

**N. Fugitive Dust Emission Standards**

During the operation of a stationary source or any other building, structure, facility, or installation, no owner or other person shall cause or permit any materials or property to be handled, transported, stored, used, constructed, altered, repaired, or demolished without taking reasonable precautions to prevent particulate matter from becoming airborne. Such reasonable precautions may include, but are not limited to, the following:

1. Use, where possible, of water or chemicals for control of dust in the demolition of existing buildings or structures, construction operations, the grading of roads, or the clearing of land;
2. Application of asphalt, water, or suitable chemicals on dirt roads, materials stockpiles, and other surfaces which may create airborne dust; the paving of roadways and the maintaining of them in a clean condition;
3. Installation and use of hoods, fans, and fabric filters to enclose and vent the handling of dusty material. Adequate containment methods shall be employed during sandblasting or other similar operations;

4. Open equipment for conveying or transporting material likely to create objectionable air pollution when airborne shall be covered or treated in an equally effective manner at all times when in motion; and,
5. The prompt removal of spilled or tracked dirt or other materials from paved streets and of dried sediments resulting from soil erosion.

(9 VAC 5-40-90 and 9 VAC 5-50-90)

**O. Startup, Shutdown, and Malfunction**

At all times, including periods of startup, shutdown, soot blowing, and malfunction, owners shall, to the extent practicable, maintain and operate any affected facility including associated air pollution control equipment in a manner consistent with air pollution control practices for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the Board, which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source.

(9 VAC 5-50-20 E and 9 VAC 5-40-20 E)

**P. Alternative Operating Scenarios**

Contemporaneously with making a change between reasonably anticipated operating scenarios identified in this permit, the permittee shall record in a log at the permitted facility a record of the scenario under which it is operating. The permit shield described in 9 VAC 5-80-140 shall extend to all terms and conditions under each such operating scenario. The terms and conditions of each such alternative scenario shall meet all applicable requirements including the requirements of 9 VAC 5 Chapter 80, Article 1.

(9 VAC 5-80-110 J)

**Q. Inspection and Entry Requirements**

The permittee shall allow DEQ, upon presentation of credentials and other documents as may be required by law, to perform the following:

1. Enter upon the premises where the source is located or emissions-related activity is conducted, or where records must be kept under the terms and conditions of the permit.
2. Have access to and copy, at reasonable times, any records that must be kept under the terms and conditions of the permit.
3. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit.
4. Sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

(9 VAC 5-80-110 K.2)



**R. Reopening For Cause**

The permit shall be reopened by the Board if additional federal requirements become applicable to a major source with a remaining permit term of three years or more. Such reopening shall be completed no later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to 9 VAC 5-80-80 F.

1. The permit shall be reopened if the Board or the administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.
2. The permit shall be reopened if the administrator or the Board determines that the permit must be revised or revoked to assure compliance with the applicable requirements.
3. The permit shall not be reopened by the Board if additional applicable state requirements become applicable to a major source prior to the expiration date established under 9 VAC 5-80-110 D.

(9 VAC 5-80-110 L)

**S. Permit Availability**

Within five days after receipt of the issued permit, the permittee shall maintain the permit on the premises for which the permit has been issued and shall make the permit immediately available to DEQ upon request.

(9 VAC 5-80-150 E)

**T. Transfer of Permits**

1. No person shall transfer a permit from one location to another, unless authorized under 9 VAC 5-80-130, or from one piece of equipment to another.(9 VAC 5-80-160)
2. In the case of a transfer of ownership of a stationary source, the new owner shall comply with any current permit issued to the previous owner. The new owner shall notify the Board of the change in ownership within 30 days of the transfer and shall comply with the requirements of 9 VAC 5-80-200.  
(9 VAC 5-80-160)
3. In the case of a name change of a stationary source, the owner shall comply with any current permit issued under the previous source name. The owner shall notify the Board of the change in source name within 30 days of the name change and shall comply with the requirements of 9 VAC 5-80-200.  
(9 VAC 5-80-160)

**U. Malfunction as an Affirmative Defense**

1. A malfunction constitutes an affirmative defense to an action brought for noncompliance with technology-based emission limitations if the requirements of paragraph 2 of this condition are met.
2. The affirmative defense of malfunction shall be demonstrated by the permittee through properly signed, contemporaneous operating logs, or other relevant evidence that show the following:
  - a. A malfunction occurred and the permittee can identify the cause or causes of the malfunction.
  - b. The permitted facility was at the time being properly operated.
  - c. During the period of the malfunction the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit.
  - d. The permittee notified the board of the malfunction within two working days following the time when the emission limitations were exceeded due to the malfunction. This notification shall include a description of the malfunction, any steps taken to mitigate emissions, and corrective actions taken. The notification may be delivered either orally or in writing. The notification may be delivered by electronic mail, facsimile transmission, telephone, or any other method that allows the permittee to comply with the deadline. This notification fulfills the requirements of 9 VAC 5-80-110 F 2 b to report promptly deviations from permit requirements. This notification does not release the permittee from the malfunction reporting requirement under 9 VAC 5-20-180 C.
3. In any enforcement proceeding, the permittee seeking to establish the occurrence of a malfunction shall have the burden of proof.
4. The provisions of this section are in addition to any malfunction, emergency or upset provision contained in any applicable requirement.

(9 VAC 5-80-250)

**V. Permit Revocation or Termination for Cause**

A permit may be revoked or terminated prior to its expiration date if the owner knowingly makes material misstatements in the permit application or any amendments thereto or if the permittee violates, fails, neglects or refuses to comply with the terms or conditions of the permit, any applicable requirements, or the applicable provisions of 9 VAC 5 Chapter 80 Article 1. The Board may suspend, under such conditions and for such period of time as the Board may prescribe, any permit for any of the grounds for revocation or termination or for any other violations of these regulations.

(9 VAC 5-80-260)

**W. Duty to Supplement or Correct Application**

Any applicant who fails to submit any relevant facts or who has submitted incorrect information in a permit application shall, upon becoming aware of such failure or incorrect submittal, promptly submit such supplementary facts or corrections. An applicant shall also provide additional information as necessary to address any requirements that become applicable to the source after the date a complete application was filed but prior to release of a draft permit.

(9 VAC 5-80-80 E)

**X. Stratospheric Ozone Protection**

If the permittee handles or emits one or more Class I or II substances subject to a standard promulgated under or established by Title VI (Stratospheric Ozone Protection) of the federal Clean Air Act, the permittee shall comply with all applicable sections of 40 CFR Part 82, Subparts A to F.

(40 CFR Part 82, Subparts A-F)

**Y. Asbestos Requirements**

The permittee shall comply with the requirements of National Emissions Standards for Hazardous Air Pollutants (40 CFR 61) Subpart M, National Emission Standards for Asbestos as it applies to the following: Standards for Demolition and Renovation (40 CFR 61.145), Standards for Insulating Materials (40 CFR 61.148), and Standards for Waste Disposal (40 CFR 61.150).

(9 VAC 5-60-70 and 9 VAC 5-80-110 A.1)

**Z. Accidental Release Prevention**

If the permittee has more, or will have more than a threshold quantity of a regulated substance in a process, as determined by 40 CFR 68.115, the permittee shall comply with the requirements of 40 CFR Part 68.

(40 CFR Part 68)

**AA. Changes to Permits for Emissions Trading**

No permit revision shall be required under any federally approved economic incentives, marketable permits, emissions trading and other similar programs or processes for changes that are provided for in this permit.

(9 VAC 5-80-110 I)

**BB. Emissions Trading**

Where the trading of emissions increases and decreases within the permitted facility is to occur within the context of this permit and to the extent that the regulations provide for trading such increases and decreases without a case-by-case approval of each emissions trade:

1. All terms and conditions required under 9 VAC 5-80-110, except subsection N, shall be included to determine compliance.
2. The permit shield described in 9 VAC 5-80-140 shall extend to all terms and conditions that allow such increases and decreases in emissions.
3. The owner shall meet all applicable requirements including the requirements of 9 VAC 5-80-50 through 9 VAC 5-80-300.

(9 VAC 5-80-110 I)

## **X. State-Only Enforceable Requirements**

The following terms and conditions are not required under the federal Clean Air Act or under any of its applicable federal requirements, and are not subject to the requirements of 9 VAC 5-80-290 concerning review of proposed permits by EPA and draft permits by affected states.

1. Odor .....
2. State toxics rule .....
3. Other .....

9 VAC 5-80-110 N and 9 VAC 5-80-300)